

PREPRITE[®]

BY EVERIDGE[®]



**COMMERCIAL BLAST
CHILLERS & SHOCK FREEZERS**

Engineered, Efficient, and Eco-Friendly

THE NEXT GENERATION OF SELF-CONTAINED BLAST CHILLERS



Leading The Way In Eco-Friendly Cooling

Transform your refrigeration needs with Eco-Friendly Cooling by PrepRite®!

Only the PBF4.0 model currently uses R290 (non-toxic propane), which is recognized by the EPA as the leading hydrocarbon alternative due to its low Global Warming Potential (GWP) and zero Ozone Depleting Properties. While our new line of self-contained units will all feature R290, the balance of inventory uses R404 and R452A at this time.

Why Choose Eco-Friendly Cooling?

- **Sustainable Design:** Energy-efficient units reduce your carbon footprint.
- **Versatile Options:** Solutions for any space, from compact to spacious.
- **Healthier Environment:** Safe refrigerants for a healthier planet.



PBF 4.0 - R290

- **Pan Count:** 4 Pans
- **Pan Size:** 12" x 20" x 2 1/2"
- **Chill Capacity:** 40 lbs.
- **Freeze Capacity:** 20 lbs.
- **Dimensions:** 25.25" W x 27.25" D x 33.5" H
- **Electrical:** 115-120 V / 1PH / 60 Hz



PBF 5.0

- **Pan Count:** 5 Pans
- **Pan Size:** 12' x 20" x 2 1/2" or 18" x 26"
- **Chill Capacity:** 50 lbs.
- **Freeze Capacity:** 30 lbs.
- **Dimensions:** 32.25" W x 32.625" D x 38.75" H
- **Electrical:** 115-120 V / 1PH / 60 Hz



PBF 7.0

- **Pan Count:** 7 Pans
- **Pan Size:** 12" x 20" x 2 1/2" or 18" x 26"
- **Chill Capacity:** 55 lbs.
- **Freeze Capacity:** 35 lbs.
- **Dimensions:** 32.25" W x 32.625" D x 53.25" H
- **Electrical:** 208-240 V / 1 PH / 60 Hz



PBF 12.0

- **Pan Count:** 12 Pans
- **Pan Size:** 12' x 20" x 2 1/2" or 18" x 26"
- **Chill Capacity:** 70 lbs.
- **Freeze Capacity:** 45 lbs.
- **Dimensions:** 32.25" W x 35" D x 71" H
- **Electrical:** 208-240V/1 PH/ 60HZ – Single Phase
*3 PH optional



PBF 15.0

- **Pan Count:** 15 Pans
- **Pan Size:** 12' x 20" x 2 1/2" or 18" x 26"
- **Chill Capacity:** 110 lbs.
- **Freeze Capacity:** 70 lbs.
- **Dimensions:** 32.25" W x 35" D x 78.25" H
- **Electrical:** 208-240V/1 PH/ 60HZ – Single Phase
*3 PH optional



PBF 20.1

- **Pan Count:** 1 Single Cart
- **Chill Capacity:** 220 lbs.
- **Freeze Capacity:** 120 lbs.
- **Dimensions:** 47.99" W x 45.99" D x 95.24" H
- **Electrical:** 208-240 V / 1 PH / 60 Hz



MODULAR PRODUCT HIGHLIGHTS




	PBC 450	PBC 850	PBC 1200	PBF 250	PBF 450	PBF 850	PBF 1200
Chill Capacity	450 lbs.	850 lbs.	1,200 lbs.	250 lbs.	450 lbs.	850 lbs.	1,200 lbs.
Freeze Capacity	275 lbs.	510 lbs.	720 lbs.	150 lbs.	270 lbs.	510 lbs.	720 lbs.
Walk-In Dimensions	64.5" W x 50" D x 88" H	64.5" W x 87" D x 88" H	64.5" W x 123" D x 88" H	64.5" W x 50" D x 88" H	64.5" W x 87" D x 88" H	64.5" W x 123" D x 88" H	64.5" W x 123" D x 88" H
Electrical	208-240 V / 1 PH / 60 Hz	208-240 V / 1 PH / 60 Hz	208-240 V / 1 PH / 60 Hz	208-240 V / 1 PH / 60 Hz	208-240 V / 1 PH / 60 Hz	208-240 V / 1 PH / 60 Hz	208-240 V / 1 PH / 60 Hz

CUSTOMIZABLE CONFIGURATIONS


Roll-Through Examples

Three
Evaporator
Coils
Roll-Through




64.5" W
123" D
88" H

Two
Evaporator
Coils
Roll-Through



64.5" W
50" D
88" H


One
Evaporator
Coil
Roll-Through




64.5" W
87" D
88" H

Integrated Examples

Two Exterior Evaporator Coils



Two Exterior Evaporator Coils



EVERIDGE®
Every step of the way®

CROWNTONKA®
 ICS®
 LOTEMP DOORS™
 PREPRITE®
 SMARTRITE®
 THERMALRITE®

Proud to be family-owned.

Walk-In Coolers/Freezers • Environmental Chambers • Restoration & Replacement Doors • Blast Chillers • Parts, Service & Warranty • Construction Services

15600 37th Ave N • Suite 100 • Plymouth, Minnesota 55446 • 888-227-1629 • Everidge.com • info@everidge.com • EV5034 • ©2025 Everidge, Inc.

All specifications are subject to change without advance notice.